


The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU for RoHS compliance.

ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REL.	AX1	INITIAL RELEASE	FSK	KASUN	04/24/2019
	AX2	CHANGE RESISTOR SPEC	FSK	KASUN	07/04/2019

NOTE:

1. THE CABLE ASSEMBLY SHALL BE MEET RoHS2.0 COMPLIANT.  
该产品通过RoHS2.0认证.
2. ELECTRICAL AND MECHANICAL PERFORMANCE SHOULD MEET THE PCIE GEN4.0 INDUSTRIAL STANDARD.  
电气特性遵循PCIE GEN4.0工业标准.
3. CONNECTER P2 IS ABOVE P3.  
注意出线方向, P2在P3的上方.





14	HO33023000	WIRE,30AWG,UL3302, 7/0.10,OD0.55,FR-XLPE,BLK,VW-1,NO MARKING,HF	A/R
13	RERES00049	RESISTOR:METAL FILM,1K OHMS+/-1%,1/4W,Fixed,R2	2
12	HMRPE45NT1	PE:LOW DENSITY,CLEAR,HF	A/R
11	R10070240X	WIRE,24AWG,UL1007,STRANDED,BLK/ORG	A/R
10	HMRTP45N01	TPE,SHORE 90+/-5A,BLK,R2,HF	A/R
9	(H)10115M03	SATA CONN:15P,M,BRS,Au15,LCP,V0,BLK,HF	1
8	R10070180X	WIRE:18AWG,41C,UL1007,BLK/RED/YEL	A/R
7	HMTNAOXXX	HS TUBE,BLK,HF	A/R
6	HMMTP000XX	ACETATE TAPE,HF	A/R
5	HMTBD07001	EXPANDO TUBE:OD=7MM,BLACK,VW-1,HF	A/R
4	HMLSB57262	LABEL:57*26MM,BLANK,WHT,R2,HF	1
3	AST8639-001	PCIE 68POS CONN,STR,BLACK,Au15u" HEPCBA0372	2
2	AST8654-0074-01	SLIMSAS 74P CONNECTOR,STR	1
1	HWSS320020	SAS CBL:UL20744,32#2C+2D+A+HM,Sliver plated,85ohm,BLU,VW-1,24G,HF	A/R
ITEM	P/N	DESCRIPTION	QTY

GENERAL TOLERANCES

.X:	± 0.5
.XX:	± 0.3
.XXX:	±
ANGULAR:	±


This drawing is the property of Serial Cables and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Serial Cables without its prior consent, and that no right is granted to disclose or use any information in this drawing.

DRAWN:	NIALL ZHANG	DATE:	07/04/2019
CHECKED:	FSK ZENG	DATE:	07/04/2019
APPROVED:	KASUN LI	DATE:	07/04/2019

	
TITLE:	
<b>SC P/N:SLSP-8X-39X2F4-0.5M</b> SLIMSAS 8X STR TO 8639*2+HSG	
DWG. No.: RSL74-3850	
	SCALE: NONE
UNIT: MM	SHEET 1 OF 3
	REV.: AX2

The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU for RoHS compliance.

ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REL.	AX1	INITIAL RELEASE	FSK	KASUN	04/24/2019
	AX2	CHANGE RESISTOR SPEC	FSK	KASUN	07/04/2019



P2	E3	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15	
P3	E3	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15	
P0	1,2,3	----				4,5,6			7,8,9			----			10,11,12 13,14,15		
SYMBOL	3.3V	----				GND			5V			----			GND 12V		
WIRE AWG	24AWG	----				18AWG			18AWG			----			24AWG 18AWG		
WIRE COLOR	ORANGE	----				BLACK			RED			----			BLACK YELLOW		

GENERAL TOLERANCES	
.X:	± 0.5
.XX:	± 0.3
.XXX:	±
ANGULAR:	±

This drawing is the property of Serial Cables and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Serial Cables without its prior consent, and that no right is granted to disclose or use any information in this drawing.

DRAWN: NIALI ZHANG DATE: 07/04/2019  
 CHECKED: FISK ZENG DATE: 07/04/2019  
 APPROVED: KASUN LI DATE: 07/04/2019



TITLE: SC P/N:SLSP-8X-39X2F4-0.5M SLIMSAS 8X STR TO 8639\*2+HSG



DWG. No.: RSL74-3850

SCALE: NONE SHEET 2 OF 3  
 UNIT: MM REV.: AX2

The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU for RoHS compliance.

ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REL.	AX1	INITIAL RELEASE	FISK	KASUN	04/24/2019
	AX2	CHANGE RESISTOR SPEC	FISK	KASUN	07/04/2019


### LABEL 2




### LABEL 3



⑤ The label is stucked in the middle.



④ 1PCS PRODUCTS PUT INTO PE BAG



5	HMSLB14741	LABEL:Synthetic Paper,14*74MM,WHT,HF	1
4	RMBZIP0018	ZIP BAG:120*300MM,T=6C	1
3	RMLSW30201	RoHS LABEL:30*20MM, LABEL5 INFO	1
2	RMLSB00401	LABEL3:100*40MM,WHT,BLANK,R2	1
1	RMBCTN0019	CARTON:590*240*200MM E TYPE	1
ITEM	PART NUMBER	DESCRIPTION	Q'TY

#### GENERAL TOLERANCES

.X:	± 0.5
.XX:	± 0.3
.XXX:	±
ANGULAR:	±


This drawing is the property of Serial Cables and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Serial Cables without its prior consent, and that no right is granted to disclose or use any information in this drawing.



TITLE:  
**SC P/N:SLSP-8X-39X2F4-0.5M**  
SLIMSAS 8X STR TO 8639\*2+HSG

DWG. No.: RSL74-3850

DRAWN:	NIALL ZHANG	DATE:	07/04/2019
CHECKED:	FISK ZENG	DATE:	07/04/2019
APPROVED:	KASUN LI	DATE:	07/04/2019



SCALE: NONE

SHEET 3 OF 3

UNIT: MM

REV.: AX2